

| Project Information | |
|--|---|
| Project full title | EuroSea: Improving and Integrating European Ocean Observing and Forecasting Systems for Sustainable use of the Oceans |
| Project acronym | EuroSea |
| Grant agreement number | 862626 |
| Project start date and duration | 1 November 2019, 50 months |
| Project website | https://www.eurosea.eu |

| Deliverable information | |
|----------------------------|---|
| Deliverable number | 3.2 |
| Deliverable title | Observing Networks initial Assessment |
| Description | Report on assessment of the EuroSea observational (and thematic) networks coordination |
| Work Package number | 3 |
| Work Package title | Network Integration and Improvement |
| Lead beneficiary | GEOMAR |
| Lead authors | Johannes Karstensen, George Petihakis, Vicente Fernandez |
| Contributors | Leaders of Tasks 3.1-3.7 |
| Due date | 31 Oct. 2020 |
| Submission date | 30 Oct. 2020 |
| Comments | All WP3 partners contributed to this deliverable by providing most informative input to the self-assessment questionnaire |



This project has received funding from the European Union's Horizon 2020 research and innovation programme under grant agreement No. 862626.

Table of contents

| | |
|---|----|
| Executive Summary | 1 |
| 1. Introduction..... | 1 |
| 2. Main Objective of this study..... | 3 |
| 3. Assessment of the Networks..... | 4 |
| 3.1. Observational Networks..... | 6 |
| 3.1.1. Internal Organization | 6 |
| Website..... | 6 |
| Institutions involved (incl. outside EuroSea) | 6 |
| Terms of Reference..... | 8 |
| Governance structure..... | 9 |
| Self-assessment on representing of the respective European observing efforts via the network..... | 9 |
| Linkages to the global observational networks | 10 |
| 3.1.2. Observational Network Internal Performance and Targets | 11 |
| Sensor/Instrument/Hardware Best Practices availability..... | 11 |
| Data Quality assurance (QA) established..... | 11 |
| Data Quality Control (QC) strategy | 12 |
| Are you considering international data format standards?..... | 12 |
| Exchange of metadata and data with European data centers..... | 13 |
| 3.1.3. Visibility of the observational network operations | 14 |
| Metadata availability | 14 |
| Best Practice Documentation accessibility | 14 |
| Network Key Performance Indicators (KPIs)..... | 14 |
| Data availability on Global Telecommunication System (GTS)..... | 15 |
| Data policy | 15 |
| 3.1.4. Coverage and Facilities for observational networks..... | 16 |
| Primary drivers for the observational activities..... | 16 |
| Drivers for observational plans..... | 16 |
| Dialogue with “Thematic networks” | 17 |
| 3.1.5. Future Aspirations of observational networks | 17 |
| Practices in developing future operations..... | 17 |
| Where do you see the network in 2030? | 18 |
| Major challenges and opportunities for the operation of future operations..... | 18 |
| 3.1.6. Observational networks in EuroSea..... | 19 |
| Objectives of the Task..... | 19 |

| | |
|---|----|
| Observational networks cross cutting activities | 21 |
| What workshops/meetings are scheduled (subject, dates) | 21 |
| Common issues with other observational networks (task) | 22 |
| 3.1.7. Summary Table | 23 |
| 3.2. Thematic Networks | 24 |
| 3.2.1. Internal Organization | 24 |
| Website | 24 |
| Institutions (incl. outside EuroSea) | 24 |
| Terms of Reference - ToR (provide link) | 24 |
| Governance structure (provide link) | 24 |
| Embedding the operations into European observing initiatives | 24 |
| Embedded in global observing thematic initiatives? | 25 |
| 3.2.2. Network Internal Performance, Targets | 25 |
| Number of science cases covered by the thematic network and respective documentation..... | 25 |
| Data Requirements document (incl. link to the relevant Best Practices link) | 25 |
| Considering international standards (when possible) | 25 |
| 3.2.3. Visibility of the thematic network..... | 26 |
| Link to EuroSea observational networks (task 3.1-3.7) | 26 |
| Link to international observational networks..... | 26 |
| Link to international or even global thematic networks (if exists) | 27 |
| 3.2.4. Coverage and Facilities | 27 |
| Coverage of thematic network applications..... | 27 |
| Thematic network dialogue/exchange with “observational networks” | 27 |
| 3.2.5. Future Aspirations..... | 27 |
| Practices in developing future operations..... | 27 |
| Major challenges and opportunities for future operations | 28 |
| 3.2.6. Summary table | 28 |

Executive Summary

This Deliverable serves to present the initial situation, in terms of coordination, of the observation and thematic networks in EuroSea represented in work package 3 (WP3). The networks include the networks represented in EuroGOOS and additional ones. The study is based on a comprehensive questionnaire that was answered by all EuroSea WP3 tasks. In addition, information from the Global Observing Networks of GOOS was considered. An important basis for the questionnaire was the list of "Network Attributes, Commitment and Benefits -What it means to be an OPA network" which was compiled by the Observation coordination group (OCG) of GOOS. This deliverable is linked to the deliverable D3.000??? that will repeat the assessment at the end of the EuroSea project to assess the evolution of the coordination over the period of the EuroSea project.

The present study shows that the observation and thematic networks in EuroSea all have highly developed coordination mechanism elements, except for task 3.7 - ASV, which represents a new network to be established. Given the spectrum of coordination themes and envisioned targets significant heterogeneity across the networks is also evident. The coordination of ship-based observations is not fully represented in EuroSea (and thus in EuroGOOS) and ideally this task should have been divided into research vessels and commercial vessels (container ships, ferries) but as it stands currently is dominated by one technology only (Ferrybox). This reflects the situation in EuroGOOS. For the thematic networks it is interesting to note that the observatories that are operated in task 3.8 (Augmented observatories) are not represented in the observational networks (task 3.1-3.7).

The assessment presented in this deliverable has its focus on the status quo. It does not question or analyze the necessity for individuals, institutions and countries to be represented in a network - "Why should individuals, institutions or countries feel a need or a motivation to engage with the networks?". It seems logical that networks are only founded, maintained and developed when individuals see an advantage in their involvement in a network – for themselves, their institution or a country. The "characteristics" of the apparent advantage of contributing to a network is likely of central importance. For example, if the advantage is only that there are no disadvantages (e.g. fines), a further development and improvement of the network is questionable. This important investigation of the motivation of individuals will be part of final assessment prepared in D3.10.

1. Introduction

One component of ocean observing systems are observational platforms, used to acquire data. Maybe two groups of observational platforms can be distinguished: 1) satellite and air-borne remote sensing which provide data from scanning the sea-surface/upper ocean, and 2) in-situ observations providing data from the ocean interior. A most efficient operation of observational devices from the two groups requires coordination with other components of ocean observing systems, first of all with data centers which make the observational data accessible for yet other parts of ocean observing systems such as data integrators e.g. assimilation and forecast systems for use in ocean product generation.

In EuroSea the focus of WP3 is on observational platforms that record in-situ ocean and eventually metocean¹ data. The platforms considered include vessels (commercial and research), autonomous floats, underwater gliders, fixed-point observatories, sea level stations, high frequency radar and autonomous surface vehicles. The operations of the in-situ ocean observational platforms are often controlled or impacted by heterogenic groups of actors comprising research institutes, governmental agencies and the private sector (e.g. ferry companies).

Over the last few decades we have seen significant innovation in ocean observing capacity in respect to innovative sensors and observational platforms, and ocean observing now can include a wide spectrum of biogeochemical and biological sensors, and operations of autonomous platforms can last over long periods of time. These innovations have improved the data sampling component of ocean observing systems. Several of the sensors and platforms already at technology readiness level (TRL²) 6, or higher.

The TRL scheme was adopted to be applicable to an ocean observing system view, and which goes beyond technological aspects, in the Framework for Ocean Observing (FOO; Lindstroem et al. 2012)³ by means of Readiness levels (RLs). According to the FOO the RL scheme can be applied to (1) Requirement Processes, (2) Coordination of Observational Elements, and (3) Data Management and Information Processes in order to assess the status (“readiness”) of the processes. Relevant in the context of this deliverable is the Framework Process 2 “Coordination of Observational Elements”. This process is categorized in nine RL, grouped into 3 groups: Concept, Pilot, Mature and outlined in the following table:

| Group | Readiness Level | Description |
|---------|----------------------------|--|
| Concept | Level 1 “Idea” | System Formulation: <ul style="list-style-type: none"> • Sensors • Platforms • Candidate technologies • Innovative approaches |
| | Level 2 “Documentation” | Proof of Concept: <ul style="list-style-type: none"> • Technical capability • Feasibility testing • Documentation • Preliminary design |
| | Level 3 “Proof of concept” | Proof of Concept Validated: <ul style="list-style-type: none"> • Technical review • Concept of operations • Scalability (ocean basin) |
| Pilot | Level 4 “Trial” | Pilot project in an operational environment |
| | Level 5 “Verification” | Establish: <ul style="list-style-type: none"> • International commitments and governance • Define standardized components |
| | Level 6 “Operational” | Implementation Plans Developed: <ul style="list-style-type: none"> • Maintenance schedule • Servicing logistics |

¹ Metocean data stands for data from close to or at the ocean atmosphere interface that is of relevance for both – atmospheric monitoring and ocean monitoring

² Website: ec.europa.eu/research/participants/data/ref/h2020/other/wp/2016_2017/annexes/h2020-wp1617-annex-g-trl_en.pdf

³ Lindstrom, E., Gunn, J., Fischer, A., McCurdy, A. and Glover, L.K. (2012) A Framework for Ocean Observing. By the Task Team for an Integrated Framework for Sustained Ocean Observing. Paris France, UNESCO, 25pp. (IOC/INF-1284,) doi: 10.5270/OceanObs09-FOO

| | | |
|--------|----------------------------------|--|
| Mature | Level 7 “Fitness for purpose” | Fitness-for-Purpose of Observation: <ul style="list-style-type: none"> • Full-range of operational environments • Meet quality specifications • Peer review certified |
| | Level 8 “Mission qualified” | System “Mission Qualified:” <ul style="list-style-type: none"> • Regional implementation • Fully scalable • Available specifications and documentation |
| | Level 9 “Sustained” | System in Place: <ul style="list-style-type: none"> • Globally • Sustained indefinitely • Periodic review |

When it comes to a real RL assessment the FOO concept is only of strategic help and further refinements are needed. The EuroSea WP3 assessment used as a strawman for the assessment, a recent document from the GOOS Observing Coordination Group (OCG) group “Network Attributes, Commitment and Benefits - What it means to be an OPA network”⁴ and created list of some high-level objectives to be directly or indirectly addressed in the assessment:

- Long term (>10 years) sustained observing needs are defined
- Network coordinates a community of Best Practice around a specific technology
- Best Practices for each network, addressing the EOVS specification sheets, are documented and deposited at oceanbestpractices.org
- Networks are open to all operators of the respective observing technology
- Improve internal coordination within the observational networks, guided by scientific/engineering expertise and supported by a technical coordinator
- Network data policy is defined and comply with FAIR principles (findable, accessible, interoperable, re-usable)
- Network specification and governance structure is articulated (e.g. Terms of Reference)

For the assessment this list was used to request information from the networks in WP3 (observation networks task 3.1 to task 3.7 and thematic networks task 3.8, 3.9).

2. Main Objective of this study

The primary objective of WP3 is to assess the current status of the coordination of observational networks and of (two) thematic networks (Figure 1). The assessment in this deliverable and its dissemination shall create a dialogue inside the networks as well as among the networks in order improve (if needed) the structures and their operations. The intention is that through these dialogues the networks are in an improved (if needed) state to better serve the observing requirements articulated as part of the European observing systems such as EOOS or EuroGOOS but also in global observing systems (e.g. GOOS). This activity will result in an improvement in the RL.

⁴ https://www.goosocan.org/index.php?option=com_oa&task=viewDocumentRecord&docID=24002




Figure 1: Schematic showing the two types of networks and associated tasks as represented in WP 3

The WP3 observational networks are grouped around observing technology platforms such as profiling floats, underwater electric gliders, research and commercial vessels, fixed-point observatories, sea level gauges, HF radar observations and autonomous surface vehicles as an emerging observing technology. The thematic networks include augmented observatories (i.e. genomic-enabled multidisciplinary observatories), multiplatform sampling (undefined) and data management. In EuroSea instruments and platforms with high TRL are mostly used and pilot action (executed in the demonstration missions in WP5 to 7) are executed to show that new sampling schemes may provide improved observational products. The thematic networks aim on enabling a dialogue between observing requirements and the underlying scientific approach and the technology framework that is coordinated by the observational networks. Moreover, one thematic network shall ensure that the data delivery according to standards including communication pathways between platform operators, observational networks and data centers is realized.

This Deliverable will be in conjunction with the Observational Networks Final Assessment Deliverable (D3.18) the means to assess progress and provide future directions.

3. Assessment of the Networks

The assessment of the two networks types (Figure 1) was based on the following list of topics. Through a questionnaire, that was provided to the tasks of WP3, information was acquired. Moreover, information was added by considering information on the OCG observational networks from their respective websites (see also website links given in the table under subsections 3.1 and 3.2).

Observational networks (task 3.1- 3.7)

- Internal organization
 - Website
 - Institutions (incl. outside Europe)
 - Terms of Reference (ToR)
 - Governance structure established and documented

- Self-assessment on representing of the respective European observing efforts via the network
- Linkages to the global observational networks
- Network Internal Performance and Targets
 - Sensor/Instrument/Hardware Best Practices availability
 - Data Quality assurance (QA) strategies
 - Data Quality Control (QC) strategies
 - Exchange of metadata and data with European data centers
- Visibility of the network
 - Metadata (location, time period, instrument types used, data archives, PI, ...) delivery to European or international data base
 - Best Practice Documentation accessibility
 - Key performance indicators (definition and monitoring)
 - Data availability on Global Telecommunication System (GTS)
 - Data policy
- Coverage and Facilities
 - Primary drivers for the network operations
 - Primary drivers for the observational activities
 - Dialogue with “thematic networks”
- Future aspirations
 - Practices in developing future operations
 - Where do you see your network in 2030?
 - Major challenges and opportunities for the operation of future operations
- EuroSea Activities
 - Task objectives
 - Observational networks cross cutting activities
 - Workshops and Meetings
 - Common issues with other observational networks/tasks

Thematic networks (note, only two are represented in WP3 – task 3.8 & task 3.9)

- Internal Organization
 - Website
 - Institutions involved
 - Terms of Reference
 - Governance Structure
 - Embedding the operations into European observing initiatives
- Network internal performance, Targets
 - Number of science cases covered by the thematic network and respective documentation
 - Data Requirements document (incl. link to the relevant Best Practices/SOP)
 - Considering international standards (when possible)
- Visibility of the thematic network
 - Link to EuroSea observational networks (Task 3.1-3.7)

- Link to international observational networks (Argo, GO-SHIP, GLOSS, ...)
- Link to international or even global thematic networks (if exists)
- Coverage and Facilities
 - Coverage of thematic network applications
 - Dialogue with “observational networks”
- Future aspirations
 - Practices in developing future operations
 - Major challenges and opportunities for future operations

3.1. Observational Networks

3.1.1. Internal Organization

Website

| Network | Global Website 1 | European Website 2 | Metadata access Website 3 |
|-----------|---|---|--|
| Argo | http://www.argo.net | https://www.euro-argo.eu/ | https://www.oceanops.org/board?t=argo |
| Gliders | https://www.oceangliders.org | https://www.ego-network.org | http://www.oceanops.org/board?t=oceangliders |
| Vessels | https://www.go-ship.org/ | http://eurogoos.eu/errybox-task-team | http://www.oceanops.org/board?t=ot http://www.oceanops.org/board?t=go-ship |
| Eulerian | www.oceansites.org | http://eurogoos.eu/emso-task-team/ | https://tinyurl.com/yy9v56mu http://www.oceanops.org/board?t=dbcp |
| Sea Level | http://eurogoos.eu/tide-gauge-task-team | https://www.gloss-sealevel.org/ | http://www.oceanops.org/board?t=gloss |
| HF-Radar | http://global-hfradar.org/ | http://eurogoos.eu/high-frequency-radar-task-team/ | http://global-hfradar.org/ |
| ASV | http://www.oceanops.org/dbcp/overview/evaluation_usv.html | | Via DBCP https://tinyurl.com/y635eptm |

Six out of seven have a website and 3 of them they have more than one. Only one network (the ASV) does not have a website at the moment but this is expected in the framework of the project.

Institutions involved (incl. outside EuroSea)

| Network | European Partners |
|---------|---|
| Argo | 12 European countries more than 20 institutes (https://www.euro-argo.eu/About-us/Partners/Partners-list) |

| | |
|-----------|---|
| Gliders | 21 European Institutions in the EUROGOOS Glider Task Team, (Gothenburg University, FMI, Tallinn University (TTU), HZG, GEOMAR, Marine Institute, SAMS; UEA, NOC, MARS, LOCEAN, CNRS/DTINSU, PLOCAN, SOCIB, OGS, CNR, CMRE, HCMR, Cyprus University, IOLR, Universidad do Porto) |
| Vessels | 12 European institutions in the Ferrybox part (NIVA, HZG, SMHI, HCMR, CEFAS, SYKE, MSI, IMR, IFREMER); The Cruise summary reports from the National Oceanographic data centers report that 31 Countries do operate research vessels. |
| Eulerian | GOOS OCG (OceanSITES) 11 European countries (27 institutions); EMSO ERIC: 8 European countries (17 institutions) but only 6 overlap/report to OCG |
| Sea Level | EuroSea: Puertos del Estado (Spain), UKRI-NOC (UK), MI (Ireland), CNRS-SONEL (France). Outside EuroSea, members of the Task Team: SHOM (France), SMHI (Sweden), UIB-IMEDEA (Spain), BSH (Germany), CNR-ISMAR (Italy), NHS (Norway), JRC-EC, VLIZ (Belgium), DTU (Denmark), DMI (Denmark), ISPRA (Italy), IZOR (Croatia), University of La Rochelle (France). <i>With contribution from all European tide gauge operators.</i> |
| HF-Radar | Global network: 43 countries; 23 European institutions (AZTI, ISMAR, SOCIB, PdE, NMI, Marine Scotland, HZG, Univ. Plymouth, UNICAEN, IFREMER, MIO, INTECMAR, SHOM, PLOCAN, HI, NIB, OODM, EUSKALMET, OGS, CALYPSO, Univ. Palermo, HCMR, CNRS) |
| ASV | Currently forming; process lead by Uni. Bremen, Uni. Porto, PLOCAN and UKRI |

The following table shows the participation per European country. The table is compiled from input to the survey and investigations from the GOOS networks that fall under the OCG umbrella and report metadata to www.OceanOPS.org.

| Country | Argo | Underwater Gliders | Research (R) & Commercial Vessels (c) ⁵ | Sea Level | Eulerian (EMSO x) | HF-Radar ⁶ | ASV |
|----------|------|--------------------|--|-----------|-------------------|-----------------------|-----|
| Albania | | | | | | | |
| Belgium | | | | | | | |
| Bosnia | | | | | | | |
| Bulgaria | | | | | | | |
| Croatia | | | | | | x | |
| Cyprus | | | | | | | |
| Denmark | | | | | | | |
| Estonia | | | c | | | | |
| Faroer | | | | | | | |
| Finland | | | c | | | x | |
| France | | | R | | x | x | |

⁵ Including the Information from the Cruise Summary Reports submitted to the countries National Oceanographic Data Centre (from <https://csr.seadatanet.org/>)

⁶ Including the listing from <http://global-hfradar.org>

| | | | | | | | |
|----------------|-----------|-----------|-----------|-----------|---------------|----------------|----------|
| Germany | | | R, c | | | x | |
| Greece | | | R, c | | x | x | |
| Iceland | | | | | | x | |
| Ireland | | | | | x | x | |
| Italy | | | | | x | x | |
| Latvia | | | | | | | |
| Lithuania | | | | | | | |
| Malta | | | | | | x | |
| Monaco | | | | | | | |
| Montenegro | | | | | | | |
| Netherlands | | | | | | x | |
| Norway | | | c | | | x | |
| Poland | | | | | | | |
| Portugal | | | | | x | x | |
| Romania | | | | | x | | |
| Russia | | | | | | | |
| Slovenia | | | | | | x | |
| Spain | | | | | x | x | |
| Sweden | | | c | | | x | |
| Turkey | | | | | | | |
| Ukraine | | | | | | | |
| United Kingdom | | | | | x | x | |
| TOTAL | 12 | 13 | 31 | 27 | 11 (8) | 31 (16) | 9 |

This table represents information from a mix of different sources.

Terms of Reference

| Network | ToR | Document |
|-----------|-----|--|
| Argo | Yes | https://www.euro-argo.eu/About-us/The-Research-Infrastructure/Statutes |
| Gliders | Yes | https://www.oceangliders.org/wpcontent/uploads/2018/06/OceanGliders-sttor.pdf |
| Vessels | Yes | FerryBox (not available online) SOT (https://tinyurl.com/yynlx5ac) GO-SHIP (https://www.go-ship.org/About.html) |
| Eulerian | Yes | EMSO (no reference provided) OceanSites (http://www.oceansites.org/documents/index.html) |
| Sea Level | Yes | http://eurogoos.eu/tide-gauge-task-team/ . GLOSS (https://unesdoc.unesco.org/ark:/48223/pf0000217832) |
| HF-Radar | Yes | not available online |
| ASV | No | no |

Terms of Reference (ToR) describe the scope and limitations for each network and are important documents. They define the purpose and structure of the network, the goals and the means towards achieving. Most of the ToRs are available either online or on request (HF Radar & Vessels).

Governance structure

| Network | Governance | Document |
|-----------|------------|---|
| Argo | Yes | https://www.euro-argo.eu/About-us/The-Research-Infrastructure/Statutes |
| Gliders | Yes | OceanGliders Steering Team (https://www.oceangliders.org/about-us/organization/) EuroGOOS Glider Task Team (http://eurogoos.eu/gliders-task-team/) |
| Vessels | Yes | FerryBox: Chair and co-chair Others – no information provided |
| Eulerian | Yes | Members organization for EUROGOOS (ROOS); EMSO (CMO, ExCom, AoM) http://emso.eu/organization/ ; OceanSites (http://www.oceansites.org/documents/index.html) |
| Sea Level | Yes | EuroGOOS Tide Gauge Task Team, with a Chair and a Vice-chair, committed to support (among other international programs) the implementation of the global sea level network (GLOSS) in the region, although not all the tide gauges operated in Europe do contribute or belong to the GLOSS Core network. GLOSS governance structure includes a GLOSS Technical Secretary at the Intergovernmental Oceanographic Commission (UNESCO), in Paris, and a chair. |
| HF-Radar | Yes | EuroGOOS Task Team. Nevertheless, the overall governance of the European HF Radar community will be reviewed (D3.4 M18) clarifying the role of each HF Radar operator and the endorsement of the EU HF Radar Node. |
| ASV | No | Work in progress under OceanGlider initiative and EuroGOOS Glider TT Global: DBCP |

Six out of the seven networks have a governance structure while ASV is in the process of establishing mainly through EuroGOOS Task Team. Moreover, there is 1 ERIC with a legal structure, 1 Global (Gliders), 4 EuroGOOS Task Teams which basically are characterized by a Chair and a Vice-Chair.

Self-assessment on representing of the respective European observing efforts via the network

| Network | Representation of EU efforts | Comment |
|----------|------------------------------|--|
| Argo | High | Euro-Argo ERIC coordinate all the European contribution to the Argo international network |
| Gliders | Medium - High | By providing metadata ingestions into the JCOMMOPS (now: OceanOPS) metadata base; RT and DM of several parameters that contribute to EOVs for European coastal and open seas. Representation in International OceanGliders initiatives (Science teams, data teams) |
| Vessels | Medium | Coordinates European Ships of Opportunity activities, links to European and international research infrastructures and initiatives |
| Eulerian | Medium | Currently 8 sites are registered as EMSO ERIC regional ocean/coastal facilities and 5 of those have registered metadata to the global system (OceanSites). However, in the |

| | | |
|-----------|---------------|--|
| | | global system 13 European institutions registered > 50 sites as being currently in operation. |
| Sea Level | Medium - High | Delegates/representatives from the most relevant actors, for all European basins: main national network operators and sea level scientists involved, considering all different approaches/applications of tide gauge observations: experts from oceanography, geodesy, hydrographers, storm surge and tsunami warning, meteotsunamis and harbor users. |
| HF-Radar | Medium - High | The observational network attempts to have all the European HF Radar operators involved |
| ASV | Low - Medium | EuroGOOS Task Team (gliders), Ocean Glider group at GOOS and JCOMOPPS level. No connection made to provisional global network (DBCP ASV action group) |

Linkages to the global observational networks

| Network | Links to Global Observing Efforts | Comment |
|-----------|---|--|
| Argo | Strong | It's the European contribution to Argo international |
| Gliders | Strong | OceanGliders is an associated program of the GOOS. |
| Vessels | Ferrybox: Medium Underway metocean: Strong Research cruises: medium | Ferrybox: Some links to SOT MetOcean: Embedded in SOT Research cruises: links to GO-SHIP |
| Eulerian | Medium | EUROGOOS exchange with EU research infrastructure initiatives EMSO, EURO-Argo, EMBRC, ICOS and international networks (OceanSites, OOI, ONC, IMOS) |
| Sea Level | Strong | With a clear vocation from start of contributing to an improved implementation of the GLOSS network in Europe, as reflected in the Terms of Reference. The EuroGOOS Tide Gauge Task Team activities are regularly presented at the GLOSS Group of Experts meetings since 2016. GLOSS representatives in Europe have been invited to participate in several actions and meetings. The chair of the task team has recently reported on recent activities at the last GLOSS data centers meeting. |
| HF-Radar | Strong | a) Reporting and contributing in the GEO HF Radar Network, b) Technical exchanges for establishing a European standard on data management based on existing Best Practices at Global level, c) European contribution in Best Practices on Operations based on existing material available at Global level, d) Organizing the ingestion of Global data through the EU HF Radar Node (Pilot with US data in 2020) |
| ASV | low | No connection made to provisional global network (DBCP ASV action group) |

| | | |
|--|--|--|
| | | Bi- or multilateral collaboration between institutions (MBARI, SAEON, UCSD, LAMMA, CEFAS, GEOMAR, PROOCEANO, Memorial University, GOOS-OceanGliders Group, IOOS, IMOS, Marine Robotics Consortium (EUMR), etc. |
|--|--|--|

There is a significant EU contribution through the networks to global observing efforts such as, Argo, OceanGliders, OceanSites, GLOSS and GEO HF-Radar.

3.1.2. Observational Network Internal Performance and Targets

Sensor/Instrument/Hardware Best Practices availability

| Network | BP | Comment |
|-----------|-----|--|
| Argo | Yes | Argo has defined a set of EOVS and endorsed sensors to measure them and defined a process to accept new sensors (http://www.argo.ucsd.edu/Argo_Framework.html) |
| Gliders | No | Work in progress. Available but fragmented. OceanGliders has a Best practice Task Team |
| Vessels | Yes | JERICO-RI Deliverable, unclear; GO-SHIP manuals |
| Eulerian | Yes | a) Some best practices are available for sensors and EOVS (e.g. DOXY), b) FIX03 legacy BP available on OBPS and published on Marine Frontiers (Pearlman et al., 2019), c) EMSO ERIC BP on DO and Underwater Intervention to be released in Feb 2020 and made available on OBPS. |
| Sea Level | Yes | The ones defined for and by the GLOSS (Global Sea Level Observational System) global network, GLOSS manuals, oceanbestpractices.org : IOC Manuals and Guides No.14, Volumes I,II,III,IV,V (IOC, 1985,1994, 2002, 2006, 2016) |
| HF-Radar | Yes | JERICO-NEXT Deliverable "D2.4: Report on Best Practice in the implementation and use of new systems in JERICO-RI. Part 1: HF-radar systems" "Best practices on High Frequency Radar deployment and operation for ocean current measurement" C.Mantovani et al., 2020 Accepted in Frontiers Best Practices in Ocean Observing. |
| ASV | Yes | Ocean Best Practice Portal IODE |

Six out of Seven networks have established some Best Practices or SOPs. For the Gliders it is among the highest priorities. Moreover, XXXX are in the OceanBestPractice repository.

Data Quality assurance (QA) established

| Network | QA | Comment |
|----------|-----|--|
| Argo | Yes | Metadata are quality controlled (Format checker at GDAC) and checked regularly against JCOMOPS data base Both RT and DM Quality assessment procedure are defined (http://www.argodatamgt.org/Documentation) |
| Gliders | Yes | QA on delayed mode QC data |
| Vessels | Yes | via CMEMS-INSTAC |
| Eulerian | Yes | For water column EMSO follows OceanSites QA and QC (GDAC CORIOLIS): PAP, DYFAMED, E1-M3A. |

| | | |
|-----------|-----|---|
| | | International Metadata (JCOMMOPS) lags regular update |
| Sea Level | Yes | The ones defined for the GLOSS global network at different GLOSS manuals, and adopted by the different GLOSS data centers. Available in oceanbespractices.com. Other sea level data portals may have, or not, their own QA standards, that ideally should converge to those defined for GLOSS |
| HF-Radar | Yes | Included in C.Mantovani et al., 2020. Accepted in Frontiers Best Practices in Ocean Observing |
| ASV | No | work on it during the project - QARTOD |

Six out of seven networks have Data Quality Assurance

Data Quality Control (QC) strategy

| Network | QC | Comment |
|-----------|-----|---|
| Argo | Yes | All document related to QC in Near Real Time and in Delayed mode are described in the QC manuals (http://www.argodatamgt.org/Documentation) |
| Gliders | Yes | OceanGliders v1.0 data format dissemination includes RT QC for T, S, O2 |
| Vessels | Yes | via CMEMS-INSTAC |
| Eulerian | Yes | OceanSites has some QC procedures for T, S and currents. EMSO is following the same procedures with GDAC and plan to go further by integrating BGC variables like O2, pCO2, pH (link to ICOS and ARGO cookbooks) |
| Sea Level | Yes | GLOSS QC recommendations have been progressively updated according to changes in data requirements and data flow of sea level data in recent years, and included in deliverables of different European projects (e.g: MyOcean, AtlantOS...) and in the EuroGOOS DATAMEQ document on QC. Today, a new upgraded GLOSS QC manual is being drafted by members of the EuroGOOS TGTT, Permanent Service for Mean Sea Level, NOAA and the Hawaii Sea Level Center experts, among others, to compile existing approaches now available, not only in Europe, but also in the global community. |
| HF-Radar | Yes | JERICO-NEXT Deliverable "D5.14: Recommendation Report 2 on improved common procedures for HFR QC analysis, including recommended common metadata and data model for HFR current data for HFR data implementation in European marine data infrastructures" + Best Practices included in above references |
| ASV | No | work on it during the project - QARTOD |

Six out of seven networks have Data Quality Assurance and work is ongoing in updating them (SeaLevel). Some are project deliverables and an update mechanism must be thought.

Are you considering international data format standards?

| Network | Int. Stand | Comment |
|---------|------------|--|
| Argo | Yes | All data are available through GDAC in Netcdf format CF compliant, used SeaDataNet Vocabularies for variable names, institution code |

| | | |
|-----------|-----|---|
| | | and is setting up a Vocab to manage all the Argo reference tables (link ENVRI-FAIR project) |
| Gliders | Yes | OceanGliders standards (close to Argo and OceanSites) |
| Vessels | No | |
| Eulerian | Yes | EMSO ERIC: OGS/SWE - OceanSites specifications (report). JCOMMOPS delivers metadata through WMO/WIGOS compliant format |
| Sea Level | Yes | Contribution to their definition and improvement in collaboration with GLOSS experts, e.g: Netcdf format CF compliant is already used in Europe (CMEMS) and is being adopted as well by GLOSS data centers. |
| HF-Radar | Yes | existing international standards have been considered for establishing the European ones. Regular communication with GEO HFR Network is taking place. |
| ASV | Yes | ISO and OGC, among other possibilities. |

Six out of seven networks today explicitly considering international standards.

Exchange of metadata and data with European data centers

| Network | SeaDataNet | CMEMS | Emodnet | Comment |
|-----------|------------|---------|---------|--|
| Argo | Yes | Yes | Yes | All data are available through GDAC in Netcdf format CF compliant, used SeaDataNet Vocabularies for variable names, institution code and is setting up a Vocab to manage all the Argo reference tables (link ENVRI-FAIR project) |
| Gliders | | Yes | | through glider GDAC Coriolis |
| Vessels | No | Yes | Yes | |
| Eulerian | Yes | Yes | Yes | SEANOE and CORIOLIS (OceanSites and EMSO GDAC) exchange with SeaDataNet & EMODnet |
| Sea Level | No | unclear | unclear | data exchange is ad hoc and on a country-by-country basis, with no formal reciprocal agreement. GLOSS data centres do not submit data to SeaDataNet on behalf of other countries. |
| HF-Radar | Yes | Yes | Yes | the standards are including all the Seadatanet requirements and the EU HF Radar Node will feed the SeaDataNet archive system. |
| ASV | No | No | Yes | ISO and OGC, among other possibilities. |

Mixed picture towards the three main data aggregators although considering operationality all networks exchange metadata with CMEMS.

3.1.3. Visibility of the observational network operations

Metadata availability

| Network | Intl. Data Base | Comment |
|-----------|-----------------|---|
| Argo | Yes | All European data available at Argo GDAC (Ifremer/France) and operated by the French NODC (National Data Center). Data also available through CMEMS in situ products, SeaDataNet , EMODnet and World Ocean DataBase (WOD) and GEOSS on international level. |
| Gliders | Yes | part of the OceanGliders data format |
| Vessels | GO-SHIP, CSR | Research cruises are reported to National Oceanographic data centers via the CSRs (former ROSCOP) |
| Eulerian | Yes | GDAC and DAC |
| Sea Level | Yes | EuroGOOS Tide Gauge Task Team is in fact working actively now, one of the actions in EuroSea, in improving access to metadata in the region, and to make it available to GLOSS and CMEMS data portals. |
| HF-Radar | Yes | through the EU HF Radar Node, these metadata will be available both in EU marine data infrastructure and Global Network |
| ASV | na | Network to be defined |

Best Practice Documentation accessibility

| Network | OBP | Comment |
|-----------|-----|---|
| Argo | Yes | There is an Argo community Section in OBPS repository |
| Gliders | No | In process |
| Vessels | Yes | GO-SHIP manuals (research vessels), RVOSP developing |
| Eulerian | Yes | Several in OBPS repository |
| Sea Level | Yes | GLOSS Manuals are already included in the in OBPS repository |
| HF-Radar | No | Ongoing, through JERICO-RI outputs & Peer Review Paper just submitted |
| ASV | No | Priority |

The majority of the networks (4 out of 7) haven't made their Best Practices available through the OBP repository but all mention this as a priority.

Network Key Performance Indicators (KPIs)

| Network | KPIs | Comment |
|---------|-----------------|--|
| Argo | Yes | Argo Network is monitored carefully through JCOMMOPS which generates indicators on network implementation and data processing The Euro-Argo ERIC generate additional KPI to monitors the European contribution to Argo and publish them in the Euro-Argo Annual report. |
| Gliders | No | Under definition |
| Vessels | Ferrybox: No | |
| | MetOcean: | |

| | | |
|-----------|-----------------------|--|
| | No | |
| | Research Vessels: Yes | For GO-SHIP and via Seadatacloud |
| Eulerian | No | In progress...Some are defined at JOMMOPS and in EMSO but not yet for all networks. Implementation Targets needed first |
| Sea Level | No | Not yet |
| HF-Radar | No | Some Indicators are defined through the ingestion of EU HF Radar Node outputs into INSTAC Global Production Unit. More KPIs will be developed on JERICO-S3 |
| ASV | No | Not yet |

In terms of KPIs besides the two ERICs (EuroArgo and EMSO) none of the other networks have.

Data availability on Global Telecommunication System (GTS)

| Network | NRT to GTS | Comment |
|-----------|------------|---|
| Argo | Yes | All data are transmitted within less than 12 hours from acquisition. |
| Gliders | Yes | |
| Vessels | All: No | |
| Eulerian | Partly | For some nodes: ANTARES, PAP, |
| Sea Level | Partly | In Europe only SHOM tide gauge network and some stations from UK network are today transmitting to GTS. The reason: in the past this was facilitated via the meteorological agencies, not always easy in some countries, and also due to the lack of personnel and funds to upgrade to GTS properly. Today this is one goal for the whole tide gauge network, especially after requirements defined by the new Tsunami Warning Systems implemented in the region. |
| HF-Radar | No | The organization of the data management is recent. Discussions are on going. |
| ASV | No | No because we haven't had any access to WMO, that is going to be changed to web services like WIS 2.0. Then, what we expect is to release data but not through GTS |

Data policy

| Network | Comment |
|-----------|--|
| Argo | Open and free data policy |
| Gliders | Open and free data policy |
| Vessels | |
| Eulerian | For most of the sites the data are free and in open access through GDACs (legacy of FIXO3 for data policy) |
| Sea Level | Open and free data policy, as for the GLOSS global network: IOC Oceanographic Data Exchange Policy: https://www.iode.org/index.php?option=com_content&view=article&id=51&Itemid=95). However, there are still some countries in the region that do not share tide gauge data yet (especially North of Africa stations, important in the Mediterranean Sea) |

| | |
|----------|---------------------------|
| HF-Radar | Open and free data policy |
| ASV | no |

Most networks operate under an open and free data policy having fully adopted operational characteristics.

3.1.4. Coverage and Facilities for observational networks

Primary drivers for the observational activities

| Network | Drivers for Operational Activities |
|-----------|---|
| Argo | <ul style="list-style-type: none"> a) near-real time data for ocean and atmospheric services, b) high quality data for climate research, c) measure biogeochemical parameters to address oceanic uptake of carbon, acidification and deoxygenation |
| Gliders | Science |
| Vessels | Research and development |
| Eulerian | EMSO Science service groups: climate change, geohazard, operational oceanography, MSFD etc. |
| Sea Level | <ul style="list-style-type: none"> a) National services for tides, storm surge and tsunami monitoring, b) Harbour authorities (navigation), c) Geodetic services and national datum definitions, d) Science |
| HF-Radar | <ul style="list-style-type: none"> a) Science, b) Capacity for model assessment and data assimilation, c) Search and Rescue, d) Response to pollution events (Oil spills...) |
| ASV | <ul style="list-style-type: none"> a) Science projects b) Monitoring /weather service data |

Given the research framework that is around many of the observational efforts one can see that science is a major driver for the observational activities for all networks.

Drivers for observational plans

| Network | Drivers for observational plans |
|---------|--|
| Argo | <ul style="list-style-type: none"> a) Component of GOOS OCG (or integrated long-term Ocean observation, b) GODAE/OceanPredict: <ul style="list-style-type: none"> a. operational service b. enhance knowledge on ocean circulation c. climate research d. enhanced knowledge on ocean health and carbon cycle for ecosystem modelling |
| Gliders | <ul style="list-style-type: none"> a) science projects, b) long term observation, c) monitoring |
| Vessels | <ul style="list-style-type: none"> a) Science projects, b) monitoring, c) in situ validation for remote sensing |

| | |
|-----------|---|
| Eulerian | a) Science b) services (operational models & collectivities) |
| Sea Level | a) Monitoring b) services |
| HF-Radar | a) Operational services, b) Science and model assessment and improvement |
| ASV | a) Technology, b) science c) monitoring services |

Science and Operational services are strong drivers

Dialogue with “Thematic networks”

| Network | Dialogue Exchange | Comment |
|-----------|-------------------|--|
| Argo | Yes | a) Link with GOOS as one of the networks of JCOMM, b) Link with IOCCP for the development of BGC-Argo, c) Link with GCOS. |
| Gliders | No | Through individual partners only. Need for better coordination |
| Vessels | Yes | ICOS Ocean Thematic Centre |
| Eulerian | Yes | a) EMSO is involved in acidification issues by providing pH, pCO ₂ data through fixed observatories (surface and deep waters) – ICOS, b) EMSO has started some dialogue with Augmented Observatories (e.g. genomic sampling in NW MedSea) - EMBRC |
| Sea Level | No | Not formally yet, but individual experts are integrated in the task team. Not a particular reason for that, this is something we could improve in the future (e.g. the hydrographic offices in our case) |
| HF-Radar | No | Only isolated connection, no connection at network level implemented yet, because the first steps has been focused on internal organization (relatively new network: 2014) |
| ASV | No | We don't have yet an observational network. We are working to setup the network. In the meantime, however, there is already specific activity/applications with ASV technologies trying to cover needs for all these science aspects and more (i.e. ICOS for CO ₂ measurements, EMSO for cross-calibration, MARCET for Marine Mammal monitoring, FRONTEX – Border surveillance, etc.) |

3.1.5. Future Aspirations of observational networks

Practices in developing future operations

| Network | Future Plans Process |
|---------|---|
| Argo | a) Extend to create a fully global, top-to-bottom, dynamically complete, and multidisciplinary Argo program, b) Extend the Euro-Argo contribution to maintain ¼ of the new Argo Design |
| Gliders | Organically around the OceanGliders Themes (Task Teams) and through the EuroGOOS Glider Task Team |

| | |
|-----------|--|
| Vessels | Current plans are to expand to provide better regional coverage of European seas (Mediterranean and Arctic) and further develop use/validation of biogeochemical and biological sensors. |
| Eulerian | a) Implement more biological sensors (imagery, genomics), b) Develop integration with others infrastructures (EURO-ARGO, ICOS, EMBRC) |
| Sea Level | Aligned with GLOSS plans, and based on new needs derived from the increasing demand of tide gauge data today, required for diverse services and challenges as mean sea level rise and monitoring of extreme events. To fulfil this, the network is continuously being upgraded |
| HF-Radar | a) Integrating National plans, b) Establishing Requirements driven plans at Regional levels, c) Contributing in integrated approaches for developing the coastal network |
| ASV | Setup a task team in order to identify activities to be covered according the needs by different end-users and stake |

Where do you see the network in 2030?

| Network | The network in 2030 |
|-----------|--|
| Argo | 2500 T&S floats 1200 Deep float (4000/6000), 1000 BGC, good coverage of European marginals seas including high latitude (partially ice-covered areas) and moving closer to the coast |
| Gliders | Sustained and significant EU contribution to the 100 glider endurance lines foreseen by OceanGliders in 2030 (see OceanObs'19 CWP) |
| Vessels | Need to be defined |
| Eulerian | Depends on EuroGOOS and EU visions, members involvement; European players not involved in EuroGOOS drafted a vision as <i>"A truly global network for Eulerian Time series stations that is fully embedded in the Global Ocean Observation System and provide interoperable data considering latest scientific understanding"</i> |
| Sea Level | The tide gauge network is already well consolidated and a key element of the ocean observing system for coastal sea level observations, and this will be so for sure in the future. |
| HF-Radar | As a key component of the coastal ocean observing systems (like Met radars in Met networks) |
| ASV | A consolidated network at EU level, fully operational providing services according to needs, and with strong international links (IOOS-US, Canada, IMOS-Australia, South Africa, South America, etc.). Network acting as POC for current uses and potential future ones of this technology as strong component of Digital Ocean strategy |

Answers are a mix from a "device centred vision" (target is to have x devices in the water by 2030) to vision that target the success of coordination.

Major challenges and opportunities for the operation of future operations

| Network | Challenges and Opportunities |
|---------|---|
| Argo | a) The new design is cost 3 times the original one, b) Challenges in term of technology/sensors for deep measurements, |

| | |
|-----------|---|
| | c) Challenges in term of QC for BGC measurements and coastal observations |
| Gliders | <ul style="list-style-type: none"> a) Major challenges: integration in the EU MRI landscape; system consolidation and sustainability (persons, infrastructures, vehicles), b) Major opportunities: integration with the other observational networks; biological EOVs; regional/coastal operational oceanography; services for public policies, market and innovation |
| Vessels | <ul style="list-style-type: none"> a) All partners are busy with funding issues and project commitments at home institutes b) we have to inspire more cooperation and involvement from partners to be able to push progress and innovation |
| Eulerian | <ul style="list-style-type: none"> a) Challenges: sensors and technology for deep water observation, cost maintenance for cabled observatories, integration of biological sensors (e.g. eDNA), harmonization of best practices and establishment of label; b) Opportunities: better integration with ERIC and global networks, metadata distribution. c) International: Creating and evolving a coordination framework that keeps to be attractive for the contributors without centralized funding |
| Sea Level | <ul style="list-style-type: none"> a) Increasing requirements on data sampling and precision, and access to real time data, requires adapting the management of data and the tools for quality control and quality assessment (this has already started). b) The network has evolved over the years and we foresee as well new improvements and technologies for coastal sea level measurements and data flow, including IoT and machine learning techniques. c) Adaptation of existing stations to these improvements may be a difficult challenge in most countries. d) Finally, as mean sea level rise continues to be a problem, the use of this data in platforms integrating models and altimetry data for helping in the decision-making process will be essential and will require adaptation of tide gauge operations. |
| HF-Radar | <ul style="list-style-type: none"> a) Integration with water column monitoring from fixed platforms, b) Integration with Satellite products, c) Ingestion into modelling capacities, d) Integration with BGC & Biological monitoring |
| ASV | Identify and provide true support services to end-users in regards common long-term goals at both scientific and technology level (CHALLENGE) + Gliderport and endurance-line network implemented at EU level (OPPORTUNITY) |

For the networks, more challenges exist than opportunities. This is expected as in order to be able to see opportunities, appropriate mechanisms inbuilt the network structure are necessary. Foresight exercises, efficient connections with other global networks and with the decision centres are all required.

3.1.6. Observational networks in EuroSea

Objectives of the Task

| Network | Objectives within EuroSea |
|---------|---|
| Argo | To coordinate the development of the Argo extensions, deep - below 2000m (DEEP) and biogeochemical (BGC), in liaison with the Euro-Argo-Rise (Technology) and the ENVRI-FAIR (data interoperability) projects, and in close link with the Argo international network. Interoperability with other observations that acquire similar |

| | |
|-----------|--|
| | <p>observations within the EOOS framework will also receive attention (with applications in WP7):</p> <ol style="list-style-type: none"> consolidate, with Euro-Argo Eric Management Board, DEEP and BGC operations strategy (Atlantic, MedSea) considering input from CMEMS, EMODnet and the EuroSea demonstrator projects most critical weaknesses (applications and budget); develop Best Practices for DEEP & BGC Argo operations and data management via workshops and WP7 feedback, and upload to OceanBestPractices.org; support interested countries to engage with Argo in the Atlantic and Mediterranean Sea in partnership with Euro-Argo; enhancement of the Euro-Argo Eric and international BGC, website/newsletters to highlight Euro-Argo ERIC progress in EuroSea. |
| Gliders | <ol style="list-style-type: none"> Contribution to OceanGliders and EuroGOOS Glider Task Team activities, Best practices publications in peer-review journal and on IODE repository, Elaboration of EU long term glider plans for EOOS, Support to EuroSea demo activities. |
| Vessels | <p>To improve SOOP & RV coordination in Europe by:</p> <ol style="list-style-type: none"> encouraging countries so far not involved to the EuroGOOS FB Task Team to join; linking regional/global efforts (ICOS ERIC, SOCAT, JCOMMOCG-SOT); re-evaluate/finalize Best Practices (in dialogue with SOT); 4) formulate Terms of Reference for the network; provide cost assessments for operations, data management according to FAIR, and evaluation for game-changing technologies (autonomous sampling systems, nutrient analyzer/sensors, towed device technology). |
| Eulerian | <ol style="list-style-type: none"> Upgrade pH sensor on EMSO-DYFAMED node (WP6 and WP7), Harmonize Best Practices OceanSites & EMSO, Progress on metadata catalogue for Eulerian observatories with JCOMMOPS |
| Sea Level | <ol style="list-style-type: none"> Establishment of an integrated European Tide Gauge Network as part of EOOS, Improve connection of the European and global community (GLOSS), by means of the following actions/activities: <ul style="list-style-type: none"> Improve metadata inventory of stations based on current user requirements (e.g. JCOMMOPS, CMEMS, Tsunami Warning Systems) Analyze gaps/duplicity in data portals providing tide gauge data and design a new strategy for data flow for tide gauge data storage, quality control and distribution Assess/compile an on-line portal in PSMSL (Permanent Service for Mean Sea Level) of uplift/subsidence land data, including new Multipath Reflectometry of land-based Global Navigation Satellite Systems (GNSS-MR) technology. Organization of two workshops involving the global community |
| HF-Radar | <ol style="list-style-type: none"> Enhance use of HFR surface current data and added value products, Push the availability of FAIR HFR data and implement Best Practices of HFR operations and maintenance, Define a governance structure that ensures long-term sustainability, Guide the development of the network with a prioritization performed at Sea-basin scale. |

| | |
|-----|--|
| ASV | <ul style="list-style-type: none"> a) ASV-Network definition and roadmap addressed to cover current and future user's needs, including access to infrastructures, community roadmap monitoring, promoting knowledge exchange, enhancement and partnership worldwide with the establishment of an ASV User Group; b) improvements on Standard Operating Procedures (SOP) for derived BP implementation on operational protocols, data management, knowledge transfer, risk assessment, legislation, etc. in order to properly improve the ASV technology, contributing to the EOOS implementation plan; c) Perform 2x workshops aiming at ASV technology - challenges, opportunities and user engagement, and ASV technology - Best-practices implementation. All to support the EuroSea demonstrator activities, in particular WP7 that will provide important feedback on ASV usage. |
|-----|--|

Observational networks cross cutting activities

| Network | Cross cutting actions |
|-----------|--|
| Argo | <ul style="list-style-type: none"> a) Cross cutting with GOSHIP, and EMSO for Deep measurement, b) Cross-cutting with GOSHIP, ICOS, EMSO, Gliders, Ferrybox and JERICO for BGC measurement, c) Cross-cutting with EuroFleets for operation at sea |
| Gliders | Best practices on EOVS basis and design of EOOS |
| Vessels | Sensor data QC/QA and data handling. |
| Eulerian | EMSO ERIC, OceanSITES, ICOS, EURO-ARGO (BGC variables) |
| Sea Level | Most of the actions are focused on specific needs of the tide gauges network, except perhaps the approach followed for the new metadata inventory. Possible collaboration during workshops |
| HF-Radar | Contribution to the multi-platform approach of Task 3.9 Integrating science |
| ASV | Sharing facilities and infrastructures, payload, cross-calibration, multiplatform experiments, technical support, data formats, some operation procedures, training, legislation, end-user and applications |

Data management and data flow (Task 3.9) as well as Interoperable data (Best Practices and standards/reference material).

What workshops/meetings are scheduled (subject, dates)

| Network | Workshops | Month |
|---------|---|-----------------------|
| Argo | <ul style="list-style-type: none"> 1. One international DEEP-Argo workshop in collaboration with Argo International, 2. One international BGC-Argo workshop in collaboration with Argo International, <p>For both workshops, aims are:</p> <ul style="list-style-type: none"> a) engaging with more countries around Atlantic and Med Sea, b) Develop cross-cutting links with other platforms listed in the previous point | <p>M18</p> <p>M24</p> |

| | | |
|-----------|---|---------------|
| Gliders | 1. Best practices, likely to be postponed by a couple of months. | 2020 |
| | 2. Second WS will be organized in line with progress made | 2021 |
| Vessels | FerryBox Task Team workshop addressing EuroSea objectives | November 2020 |
| Eulerian | 1. Best Practices 2. Metadata | M12 M36 |
| Sea Level | 1. Europe-GLOSS collaboration, review of data flow between data portals and requirements on metadata | January 2021 |
| | 2. New automatic QC algorithms and products from tide gauge data. Other meetings will be held between partners, date to be defined. | November 2022 |
| HF-Radar | 1. Inviting all the European operators and key Global actors. Support for EUROGOOS Task Team (review of the status of the implementation of Best Practices; Review of priorities driven by ROOSs requirements; Joint Research and Operational Services) | M9 |
| | 2. Jointly organized with other observational networks. Main Objective: INTEGRATION | M36 |
| ASV | 1. WS (not defined) | Fall 2020 |
| | 2. WS (not defined) | Fall 2022 |

Common issues with other observational networks (task)

| Network | Common Issues |
|-----------|---|
| Argo | a) QA/QC procedure, b) Deployment and float recovery, c) Design of multiplatform network, d) Harmonization of data services to users |
| Gliders | Inclusion in European/national roadmaps |
| Vessels | See answer to cross cutting actions. |
| Eulerian | a) QC and QA of BGC data; Metadata information and traceability/quality (JCOMMOPS); databases interoperability; traceability of dataset provided by EMSO RF (DOI is not enough), b) Maintain expertise and staff in regional facilities for long term observing system (depend on country and institutes policies) |
| Sea Level | a) Documentation on Best Practices b) Requirement of metadata inventory/update tools |
| HF-Radar | To share methodologies and establishing integrated approach for defining priorities in the future development of the observing system at Regional level |
| ASV | Routine operation, subsystem failure, TRL, sensor drift, identification of synergies, partnership to improve operational efficiency, data formats, legislation, end-user engagement and new applications for marine-maritime sectors beyond science. |

This is indicative of possible areas for cooperation especially in the framework of common workshops.

3.1.7. Summary Table

| OBSERVING NETWORKS | Argo | Gliders | Vessels | Eulerian | Sea Level | HF-Radar | ASV |
|---|-------------|----------------|----------------|-----------------|------------------|-----------------|-----------------|
| Website | yes | yes | yes | yes | yes | yes | no |
| No. of Institutions involved | 20 | 21 | 9 | >25 | 16 | 24 | 4 |
| Terms of reference | yes | yes | yes | yes | yes | yes | no |
| Governance Structure | yes | yes | yes | yes | yes | yes | no |
| Representation of EU efforts | High | Medium-High | Medium | High | Medium-High | Medium-High | Low-Medium |
| Links to Global Observing efforts | Strong | Strong | Medium | Strong | Strong | Strong | Medium |
| Sensor/Instrument/Hardware Best Practices | yes | no | yes | yes | yes | yes | yes |
| Data Quality assurance (QA) | yes | yes | yes | yes | yes | yes | no |
| Data Quality Control (QC) | yes | yes | yes | yes | yes | yes | no |
| International standards | yes | yes | no | yes | yes | yes | yes |
| Exchange of metadata and data with data aggregators | | | | | | | |
| SeaDataNet | yes | ??? | no | yes | no | yes | no |
| CMEMS | yes | yes | yes | yes | ??? | yes | no |
| Emodnet | yes | ??? | yes | yes | ??? | yes | yes |
| Metadata fed to EU or Intl data base | yes | yes | ??? | yes | yes | yes | ??? |
| Best Practices available at IODE/UNESCO | yes | no | no | yes | yes | no | no |
| Key Performance Indicators defined | yes | no | no | no | no | no | no |
| Data to GTS | yes | no | no | partly | partly | no | no |
| Data Policy | Open | Open | ??? | Open | Open | Open | ??? |
| Drivers for observational activities | Sci, Serv | Sci | R&D | Sci, Serv | Sci, Serv | Sci, Serv | Sci, Serv |
| Drivers for observational plans | Sci, Serv | Sci, Mon | Sci, Mon | Sci, Serv | Sci, Mon | Sci, Serv | Sci, Serv, Tech |
| Dialogue/exchange with "thematic networks" | yes | no | yes | yes | no | no | no |
| Future plan process | | | | | | | |
| The network in 2030 | | | | | | | |
| Challenges and Opportunities | | | | | | | |
| Objectives within EuroSea | | | | | | | |
| cross cutting actions with different observing networks | | | | | | | |
| workshops/meetings | M18, M24 | 2020 & 2021 | Nov-20 | M12, M36 | 2021 & 2022 | M9, M36 | Fall20 & Fall22 |
| common issues with other observing networks | | | | | | | |

3.2. Thematic Networks

3.2.1. Internal Organization

Website

| Network | Website |
|---|---|
| Augmented Obs. | http://glomicon.org/ |
| Interface with In Situ data integrators | http://eurogoos.eu/data-management-exchange-quality-working-group-data-meq/ |

Institutions (incl. outside EuroSea)

| Network | Partners |
|---|---|
| Augmented Obs. | 50 organizations are networked, as well as other networks and consortia |
| Interface with In Situ data integrators | EU integrators (CMEMS, SeaDataNet, EMODnet mainly Physics and Chemistry Emodnet), H2020 projects, EuroGOOS TT's |

Terms of Reference - ToR (provide link)

| Network | ToR | Document |
|---|-----|---|
| Augmented Obs. | No | Under discussion: GLOMICON is a grassroots initiative, but will be formalizing under GEO BON as an Omic BON, which will require a ToR |
| Interface with In Situ data integrators | Yes | http://eurogoos.eu/data-management-exchange-quality-working-group-data-meq/ |

Governance structure (provide link)

| Network | Governance | Document |
|---|------------|---|
| Augmented Obs. | Yes | Coordination provided by AWI, UC Berkeley – governance is bottom-up |
| Interface with In Situ data integrators | Yes | EuroGOOS Task Team |

Embedding the operations into European observing initiatives

| Network | Representation of EU efforts | Comment |
|---|------------------------------|--|
| Augmented Obs. | Yes | Multiple established marine observatories (e.g. FRAM) have an omics component, EuroSea will upgrade this through the SZN |
| Interface with In Situ data integrators | Yes | EU integrators (CMEMS, SeaDataNet, EMODnet), H2020 projects, EuroGOOS TT's |

Embedded in global observing thematic initiatives?

| Network | Links to Global Observing Efforts | Comment |
|---|-----------------------------------|---|
| Augmented Obs. | Medium | Feeding in expertise and advice to the GOOS BioEco Panel EOVs, we will also attempt to federate under GEO BON (initial discussions already completed) |
| Interface with In Situ data integrators | Strong | Argo, OceanSITES, GOSUD, OceanGLIDERS, Drifter/DBCP |

3.2.2. Network Internal Performance, Targets

Number of science cases covered by the thematic network and respective documentation

| Network | Science Cases |
|---|--|
| Augmented Obs. | Each node pursues multiple scientific cases in its normal operation, there is (currently) no network-wide scientific mission, but this is being formulated pending improved coordination and interoperation of the nodes |
| Interface with In Situ data integrators | There is no network-wide documentation available |

Data Requirements document (incl. link to the relevant Best Practices link)

| Network | Data Requirements |
|---|---|
| Augmented Obs. | <ul style="list-style-type: none"> a) At the node level – projects in data exchangeability are underway for microbial biodiversity at the taxonomic level which will become a best practices recommendation b) Recommendations on metadata handling and standards compliance being drafted with the GSC c) Core data (i.e. sequence data) management at high readiness thanks to the field's use of INSDC norms d) Prototype exchanges and interfaces with OBIS and GBIF/ELIXIR/ENA |
| Interface with In Situ data integrators | <ul style="list-style-type: none"> a) Capitalizing on European initiative + existing standards b) Started first with physical parameters and extending to Biogeochemistry c) Provided as recommendations to the EuroGOOS communities and presented in EuroGOOS General Assembly d) For EuroSea integration starting point the AtlantOS WP7 deliverables also delivered to OBPS |

Considering international standards (when possible)

| Network | Intl. Standards | Comment |
|----------------|-----------------|--|
| Augmented Obs. | Yes | Through coordination with the Genomic Standards Consortium and INSDC. We aim to significantly contribute to these and promote interoperability |

| | | |
|---|-----|---|
| | | with other standards in the marine observatory space |
| Interface with In Situ data integrators | Yes | <ul style="list-style-type: none"> a) Link with Research Data Alliance (link ODIP series of projects) including SeaDataNet Vocabularies and CF conventions, b) DMPA (Data Management Panel area) and (Observation Panel Area) JCOMM coordination activities |

3.2.3. Visibility of the thematic network

Link to EuroSea observational networks (task 3.1-3.7)

| Network | Links with EuroSea Obs. Networks | Comment |
|---|----------------------------------|--|
| Augmented Obs. | Few | via observatories that have eDNA/omics capacities and also contribute to core oceanography |
| Interface with In Situ data integrators | Efficient | <ul style="list-style-type: none"> a) Well linked to the EuroSea observational networks that have set up or are setting up integrated services in Europe (Argo, Gliders, HF Radars, ICOS for Carbon) or are willing to enhance data interoperability in Europe (Sea Level, Ferrybox) or integrated at international level (OceanSites for Eulerian Observatories, Argo, Drifters/CBCP, Vessels underway data GOSUD). b) For vessels it's also done through SeaDataNet for research cruises c) Autonomous Surface Vehicles in link with SAILDRONES company |

Link to international observational networks

| Network | Links with Intl. Obs. Networks | Comment |
|---|--------------------------------|--|
| Augmented Obs. | Efficient | <ul style="list-style-type: none"> a) Well linked to the GOOS, but more work is needed to transition data products from "conceptual" and/or unconsolidated to operational b) Some omics observers have existing links to GO SHIP and GEOTRACES which we hope to interface with |
| Interface with In Situ data integrators | Efficient | Argo, OceanSITES, GOSUD, OceanGLIDERS, Drifter/DBCP |

Link to international or even global thematic networks (if exists)

| Network | Links with Intl. & Global Thematic Networks | Comment |
|---|---|--|
| Augmented Obs. | Poor | thus, our objective to form an Omic BON under GEO BON for improved coordination of large- to small-scale projects |
| Interface with In Situ data integrators | Efficient | a) Contributing to Data Management cooperation and Operating GDACS for Argo, GOSUD, OceanSITES, b) Contributing to Data Management cooperation and setting GDACS for OceanGliders, Drifters |

3.2.4. Coverage and Facilities

Coverage of thematic network applications

| Network | Application coverage |
|---|---|
| Augmented Obs. | <ul style="list-style-type: none"> The coverage in the EU is patchy at best, both temporally and spatially. The primary issue is a lack of standardized methodology and best practices and funding structures that are often difficult to link with long-term, observatory-grade monitoring Even a set of local but interoperating observatories would have high impact on the status quo |
| Interface with In Situ data integrators | <ul style="list-style-type: none"> DATAMEQ doesn't operate observing systems Issues on data policy and unlocking access to existing data critical areas: Arctic, Eastern Mediterranean and South Med, Black Sea Easier for physical than BGC Essential Ocean Variables |

Thematic network dialogue/exchange with “observational networks”

| Network | Dialogue / Exchange | Comment |
|---|---------------------|--|
| Augmented Obs. | Yes | several nodes in the network are embedded within observational networks, offering a biological dimension. However, these are poorly coordinated, preventing truly global impact. |
| Interface with In Situ data integrators | Yes | they are involved in the DATAMEQ working group |

3.2.5. Future Aspirations

Practices in developing future operations

| Network | Future Plans Process |
|---------|----------------------|
|---------|----------------------|

| | |
|---|--|
| Augmented Obs. | Through the GLOMICON coordination (now merged with the Genomic Observatories Network) via mailing lists and focus groups (multipliers, leadership) – coalition of willing participants |
| Interface with In Situ data integrators | EUROSEA should rely on existing data management infrastructures and enhance them for a sustain set of services after the end of EuroSea |

Major challenges and opportunities for future operations

| Network | Challenges and Opportunities |
|---|---|
| Augmented Obs. | Transitioning from a network of primarily academic institute motivated by “impact” and journal articles, to a fully-fledged observatory community – the reward structures must be realigned. The opportunity now is to leverage the high global interest in eDNA/omic observing (diverting the risk of siloed activity) and the GOOS BioEco Panel’s link to the Decade |
| Interface with In Situ data integrators | Challenges are more political than technical: <ul style="list-style-type: none"> • Need big push from stakeholders to support open data policy • Importance a dedicated sufficient funds for data management attached to observation network set up and maintenance • New services based on big data and Cloud systems should be user driven and not IT driven |

3.2.6. Summary table

| THEMATIC NETWORKS | Augmented Obs. | Interface with In Situ data integrators |
|--|-----------------------|--|
| Website | yes | yes |
| No. of Institutions involved | 50 | unclear |
| Terms of reference | no | Yes |
| Governance Structure | yes | Yes |
| Representation of EU efforts | yes | Yes |
| Links to Global Observing efforts | Medium | Strong |
| Science Cases | Multiple | Unclear |
| Data Requirements | | |
| International standards | yes | yes |
| Links with EuroSea Obs. Networks | few | efficient |

| | | |
|--|-----------|-----------|
| Links with Intl. Obs. Networks | efficient | efficient |
| Links with Intl. & Global Thematic Networks | poor | efficient |
| Application coverage | | |
| dialogue/exchange with “observational networks” | yes | yes |
| Future Plans Process | | |
| Challenges and Opportunities | | |